

2.2. Label elements

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/12

BioSentry® AquaPrime® Activator

Revision 8 Revision date 2021-01-05

Revision date 2021-01-0					
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier	1.1. Product identifier				
Product name	BioSentry® AquaPrime® Activator				
Product code	142250, 142350, 142450				
1.2. Relevant identified uses of t	the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC20]				
	Products such as pH-regulators, flocculants, precipitants, neutralization agents;				
Description	Chlorine dioxide activator and drinking water acidifier.				
1.3. Details of the supplier of the	e safety data sheet				
Company	Neogen Corporation				
Address	620 Lesher Place				
	Lansing MI 48912				
	USA				
Web	www.neogen.com				
Telephone	517-372-9200/800-234-5333				
Email	SDS@neogen.com				
1.4. Emergency telephone number					
	24 hours:				
	Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)				
	Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)				
Further information					
	Manufactured By:.				
	Preserve International				
	944 Nandino Blvd.				
	Lexington, KY 40511-1205 U.S.A.				
	Preserve International is a wholly-owned subsidiary of Neogen Corporation.				
SECTION 2: Hazards identification					
2.1. Classification of the substar	nce or mixture				
2.1.2. Classification - GHS	Skin Corr. 1B: H314; Acute Tox. 4: H332; Aquatic Chronic 3: H412;				

Revision 8 Revision date 2021-01-05

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER/doctor/ .
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement:	P501 - Dispose of contents/container to an approved hazardous/special waste disposal facility in
Disposal	accordance with local and national regulations
2.3. Other hazards	

Other hazards	Contains material(s) which may be harmful if swallowed.
---------------	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sulphuric acid% (Sulfuric acid)	016-020-00-8	7664-93-9	231-639-5		1 - 10%	Skin Corr. 1A: H314;
Hydrochloric acid (Hydrogen chloride)		7647-01-0	231-595-7		10 - 20%	Skin Corr. 1B: H314; Acute Tox. 3: H331;
copper sulphate pentahydrate	029-023-00-4	7758-99-8	231-847-6		0.5 - 1%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Description

	Concentrations listed are not product specifications.			
Further information				
	Full text of Hazard Statements listed in this Section is provided in Section 16			

SECTION 4: First aid measures

4.1. Description of first aid measures

<u>·</u>	
Inhalation	Move the exposed person to fresh air. Immediate medical attention is required. If unconscious,
	check for breathing and apply artificial respiration if necessary. If breathing is difficult give oxygen.

Revision 8 Revision date 2021-01-05

4.4. Description of first old	
4.1. Description of first aid	
	If breathing stops, provide artificial respiration.
Eye contact	Remove the affected person from the source of contamination immediately. Hold eye open and
	rinse slowly and gently with water for 15-20 minutes. Contact lenses should be removed. Immediate medical attention is required.
Ckin contact	·
Skin contact	Remove the affected person from the source of contamination immediately. After contact with skir take off immediately all contaminated clothing, and wash immediately with plenty of soap and
	water. Drench the affected skin with running water for 10 minutes or longer if substance is still on
	skin. Immediate medical attention is required.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting unless told to do so by the poison control center
mgoodon	or doctor. Probable mucosal damage may contraindicate the use of gastric lavage. Never give
	anything by mouth to an unconscious person. Immediate medical attention is required.
4.2. Most important sympto	oms and effects, both acute and delayed
Inhalation	Harmful if inhaled. May cause irritation to respiratory system.
	Risk of serious damage to eyes. Causes severe inflammation and may damage the cornea.
Eye contact	Danger of very serious irreversible effects.
Skin contact	Corrosive to living tissue. Causes skin burns. Danger of very serious irreversible effects.
	Corrosive to living tissue. Causes skin burns. Danger of very serious irreversible effects. Corrosive to living tissue. Causes severe burns. Danger of very serious irreversible effects.
Ingestion	Ingestion may cause nausea and vomiting.
4.3. Indication of any imme	diate medical attention and special treatment needed
	Remove the affected person from the source of contamination immediately. Transfer to hospital if
	there are burns or symptoms of poisoning. Immediate medical attention is required. If medical
	advice is needed, have product container or label at hand.
SECTION 5: Firefighting	I measures
	, modelios
5.1. Extinguishing media	Lies autientishing goodie appropriate to the appropriate for the conditions
500	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising	g from the substance or mixture
	Corrosive. Do not breathe vapor or spray mist. Contains substance(s) which are hazardous to the
	environment. Do not allow undiluted product to be released to ground water, water course or
	sewage system.
5.3. Advice for firefighters	
	In case of fire and/or explosion do not breathe fumes. Do not breathe vapor or spray mist. Wear
	self-contained breathing apparatus and chemical-protective clothing.
SECTION 6: Accidental	release measures
6.1. Personal precautions,	protective equipment and emergency procedures
	In the case of cleanup following a spill, wear protective clothing and appropriate equipment to
	prevent exposure of skin and eyes and to prevent ingestion or inhalation. Ensure adequate
	ventilation of the working area. Keep personnel away from spill. Avoid contact with eyes and skin.
	Avoid prolonged or repeated exposure. Keep away from incompatible materials.
6.2. Environmental precaut	ions
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush
	into surface water. Do not let product contaminate subsoil.
6.3. Methods and material	for containment and cleaning up
	Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for
	disposal. Dispose of this material and its container to hazardous or special waste collection point.

Revision 8 Revision date 2021-01-05

6.3. Methods and material for containment and cleaning up

Clean spillage area thoroughly with plenty of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

6.4. Reference to other sections

See Section(s) 2, 8, and 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Handle and open container with care. Do not breathe vapor or spray mist. Ensure adequate ventilation of the working area. In case of insufficient ventilation, wear suitable respiratory equipment. Causes eye damage and skin damage. Wear chemical protective clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash the outside of gloves before removing them. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Contaminated work clothing should not be allowed out of the workplace. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not eat, drink or smoke in areas where this product is used or stored. Read the entire label and follow all use directions, restrictions, and precautions.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container in a cool, dry place inaccessible to children and pets. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Keep containers closed and away from other chemicals. Do not store with incompatible substances or mixtures. Follow label instructions.

7.3. Specific end use(s)

See Section(s) 1.2 for further information.

Further information

Refer to product label and/or package insert for additional information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters


Exposure Limit Values

Hydrochloric acid (Hydrogen chloride)	ACGIH TLV TWA: -	ACGIH TLV STEL: C 2 ppm
·	Notations: A4	OSHA PEL 8hr TWA ppm: (C)5
	OSHA PEL 8hr TWA mg m3: (C)7	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Sulphuric acid% (Sulfuric acid)	ACGIH TLV TWA: 0.2 mg/m³ (T)	ACGIH TLV STEL: -
	Notations: A2 (M)	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 1	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

8.2. Exposure controls

Revision 8 Revision date 2021-01-05

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation of the working area. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects.

Individual protection measures

Wear chemical protective clothing. Do not breathe dust or vapor.

Eye / face protection Skin protection - Hand protection

Wear chemical safety goggles or face shield.

Wear: Chemical resistant gloves. Wash the outside of gloves before removing them. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Skin protection - Other

After contact with skin, wash immediately with plenty of soap and water. Wear suitable protective clothing, gloves and eye/face protection.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Occupational exposure controls

Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Provide chemical shower. Provide eye wash station.

Protect clothing from contact with the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contamination of food or feedstuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Color	Clear/Light green
Odor	Pungent
Odor threshold	No data available
рН	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability limits	Not applicable.
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.08 - 1.12
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	Not applicable.
Oxidizing properties	No data available
Solubility	Soluble in water

9.2. Other information

Revision 8 Revision date 2021-01-05

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4. Conditions to avoid

Keep away from extreme temperatures. Keep away from incompatible materials.

10.5. Incompatible materials

Keep away from strong bases, Alkali metals, Amines.

10.6. Hazardous decomposition products

Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Harmful by inhalation. Contains material(s) which may be harmful if swallowed.		
Skin corrosion/irritation	Corrosive to living tissue. Causes burns. Possible risk of irreversible effects.		
Serious eye damage/irritation	Causes severe burns. Causes severe inflammation and may damage the cornea. Possible risk of irreversible effects.		
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.		
Germ cell mutagenicity	No mutagenic effects reported.		
Carcinogenicity	No components at >0.01% are listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. Listed by the International Agency for Research on Cancer (IARC) as a group 3 substance: evidence does not support the substance as a human carcinogen, [Hydrochloric acid, CAS No. 7647-01-0], Group 1 substance: known human carcinogen, [Sulfuric acid (mists), CAS No. 7664-93-9]. Listed in the National Toxicology Program (NTP) Report on Carcinogens as a known human carcinogen, [Sulfuric acid (mists), CAS No. 7664-93-9]. Not listed in the OSHA standard 1910.1003 Carcinogens.		
Reproductive toxicity	No teratogenic effects reported.		
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause oral mucosal irritation.		
STOT-repeated exposure	Components(s) may cause damage to human organs based on animal data.		

Revision 8 Revision date 2021-01-05

	Revision date 2021-01-0
11.1. Information on toxicologi	cal effects
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.
11.1.2. Mixtures	
	See Section(s) 3 for further information.
11.1.3. Hazard Information	
	See Section(s) 2 and 3 for further information.
11.1.4. Toxicological information	on
	No data available
11.1.5. Hazard Class	.
	See Section(s) 2 and 4 for further information.
11.1.6. Classification Criteria	
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
11.1.7. Information on likely ro	utes of exposure
	Eye contact. Skin contact. Inhalation. Ingestion.
11.1.8. Symptoms related to the	ne physical, chemical and toxicological characteristics
	See Section(s) 4.2 for further information.
11.1.9. Delayed and immediate	e effects as well as chronic effects from short and long-term exposure
	See Section(s) 4.2 for further information.
11.1.10. Interactive effects	
	No data available.
11.1.11. Absence of specific d	ata
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substa	ance information
	See Section(s) 3 for further information.
11.1.13. Other information	-
	No data available.
SECTION 12: Ecological in	formation
12.1. Toxicity	
	No data available
12.2. Persistence and degrada	ability
·	No data is available on this product.
12.3. Bioaccumulative potentia	
	No data is available on this product.
Partition coefficient	

Revision 8 Revision date 2021-01-05

Partition coefficient	
	BioSentry® AquaPrime® No data available Activator
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	Harmful to aquatic life with long lasting effects. Specific test data for the mixture is not available.
Further information	
	Keep out of lakes, ponds, or streams.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations. Do not discharge effluent containing this product to sewer systems. Follow label instructions.
Disposal methods	
	Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not empty into drains; dispose of this material and its container in a safe way. Do not flush into surface water. Do not let product contaminate subsoil.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. Can be recycled if in compliance with local and national regulations.
Further information	
	Refer to product label and/or package insert for additional information.
SECTION 14: Transport info	rmation
Hazard pictograms	
	8
14.1. UN number	
	UN1760
14.2. UN proper shipping name	
	CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Sulfuric acid)
14.3. Transport hazard class(es)

Revision 8 Revision date 2021-01-05

14.3. Transport hazard class(es)			
DOT	8			
Subsidiary risk] -			
IMDG	8			
Subsidiary risk	-			
IATA	8			
Subsidiary risk	-			
14.4. Packing group				
Packing group	II			
14.5. Environmental hazards				
Environmental hazards	No			
Marine pollutant	No			
DOT				
Hazard ID	80			
Tunnel Category	(E)			
IMDG				
EmS Code	F-A S-B			
IATA				
Packing Instruction (Cargo)	855			
Maximum quantity	30 L			
Packing Instruction (Passenger)	851			
Maximum quantity	1L			
SECTION 15: Regulatory information				

SECTION 15: Regulatory information

Regulations

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

•	Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.							
Chemical	International							
Inventories/Right-to-Know	Basel Convention (Hazardous Waste): H8.							
Lists:	Chemical Weapons Convention (OPCW): This material contains no reportable components. Kyoto Protocol Greenhouse Gases: This material contains no reportable components.							
	Mercosur Agreement: Not applicable. Montreal Protocol: This material contains no reportable components. The Rotterdam Convention: This material contains no reportable components.							
	The Stockholm Convention: This material contains no reportable components.							
	Asia and the ASEAN Nations Catalog of Hazardous Chemicals (China): [2507, Hydrochloric acid, CAS No. 7647-01-0], [1302, Sulfuric acid, CAS No. 7664-93-9]. Regulation of Minister of Trade of the Republic of Indonesia, Number 75, Year 2014, regarding The Second Amendment of Minister of Trade, Number 44, Year 2009, Regarding Provision, Distribution, and Control of Hazardous Substances: Usable hazardous and toxic material, [Hydrochloric acid, CAS No. 7647-01-0], [Sulfuric acid, CAS No. 7664-93-9]. Air Pollution Control Law (Japan): Specified substance, [Hydrogen chloride (hydrochloric acid), CAS No. 7647-01-0], [Sulfuric acid, CAS No. 7664-93-9], Hazardous substance / Priority chemicals, [Copper sulfate pentahydrate (copper compounds), CAS No. 7758-99-8 (<1.0%)].							

Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational

Revision 8 Revision date 2021-01-05

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Substances Control Law (Japan): Class I environmental release, [Copper sulfate pentahydrate (copper compounds), CAS No. 7758-99-8 (<1.0%)].

Industrial Safety and Health Act, Dangerous Substances (Japan): Labeling/Notification required, Group 3 specified substance, [Hydrogen chloride (hydrochloric acid), CAS No. 7647-01-0], [Sulfuric acid, CAS No. 7664-93-9], [Copper sulfate (copper compounds), CAS No. 7758-99-8]. Poisonous and Deleterious Substances Act (Japan): Deleterious substance, [Hydrogen chloride (hydrochloric acid), CAS No. 7647-01-0], [Copper sulfate pentahydrate (inorganic copper salts), CAS No. 7758-99-8 (<1.0%)].

Soil Contamination Countermeasures Act (Japan): This material contains no reportable components.

Water Pollution Control Law (Japan): Designated substance, [Hydrogen chloride (hydrochloric acid), CAS No. 7647-01-0], [Sulfuric acid, CAS No. 7664-93-9].

Chemical Substances Subject to Permission (Korea): Accident precaution, Toxic substance, [Hydrogen chloride (hydrochloric acid), CAS No. 7647-01-0], Priority Control substance, [Annex I-127, Sulfuric acid, CAS No. 7664-93-9].

Restricted or Prohibited Substances (Korea): This material contains no reportable components. Use and Standards of Exposure of Chemicals Hazardous to Health (USECHH), Regulation 2000 (Malaysia): Schedule I exposure standard, CLASS regulation, [Hydrogen chloride (hydrochloric acid), CAS No. 7647-01-0], [Sulfuric acid, CAS No. 7664-93-9].

Philippine Inventory of Chemicals and Chemical Substances (PICCS): Toxic Substances and Hazardous and Nuclear Wastes Control Act (RA6969):, All ingredients listed or exempt., No restrictions.

Taiwan Toxic and Concerned Chemical Substances Control Act (TCCSCA): All ingredients listed or exempt., No restrictions.

Hazardous Substances Act (Thailand): Type 1, [Copper(II) sulfate pentahydrate, CAS No. 7758-99-8 (<1.0%)].

Law on Chemicals (Vietnam): Decree 113/2017/ND-CP: List of chemicals which require developing plan to respond and prevent chemical incident, Decree 113/2017/ND-CP: List of chemicals subject to conditional industrial production and trading, [Hydrochloric acid (Hydrogen chloride), CAS No. 7647-01-0], [Sulfuric acid, CAS No. 7664-93-9].

--Australia and New Zealand--.

Australian Dangerous Goods Code: Class 8.

Australian Inventory of Chemical Substances (AICS): All ingredients listed or exempt., No restrictions.

New Zealand Inventory of Chemicals (NZIoC): All ingredients listed or exempt., No restrictions.

--European Union (EU) and the United Kingdom (UK)--.

Authorization List (Annex XIV of REACH): This material contains no reportable components.

Annex XVII for REACH: This material contains no reportable components.

Article 95 of the Biocidal Products Regulation (BPR): [PT2, Hydrochloric acid (Hydrogen chloride), CAS No. 7647-01-0].

--North America--.

Domestic/Non-Domestic Substances Lists (DSL/NDSL): This product contains one or more components that are not listed or exempt from listing on the inventory administered by the governing country, (<1.0%).

Toxic Substances Control Act (TSCA): This product contains one or more components that are not listed or exempt from listing on the inventory administered by the governing country, (<1.0). Massachusetts Right-to-Know Hazardous Substance List: Hydrochloric acid, CAS No. 7647-01-0.

New Jersey Worker and Community Right to Know Act: Hydrogen chloride, CAS No. 7647-01-0. Pennsylvania Right to Know Law: Hydrochloric acid, CAS No. 7647-01-0.

Dhada laland Bight to Kenn Connell and I hadron large and CAC No. 7047 04 0

Revision 8 Revision date 2021-01-05

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

California Prop 65: This material contains no reportable components.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Sulphuric acid% (Sulfuric acid)	Υ	Y	Y 1.0	N	N	N	Υ	Y 1,000	Y 1,000
Hydrochloric acid	Υ	Υ	Y 1.0	N	N	Υ	Υ	Y 500	Y 5,000

SECTION 16: Other information

Other information

Re		:	_
Re	vis	Ю	

This document differs from the previous version in the following areas:.

- 1 Manufactured By:.
- 2 Other hazards.
- 2 2.1. Classification of the substance or mixture.
- 2 2.1.2. Classification GHS.
- 2 Hazard pictograms.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Storage.
- 4 Inhalation.
- 5 5.2. Special hazards arising from the substance or mixture.
- 5 5.3. Advice for firefighters.
- 8 Eye / face protection.
- 9 9.2. Other information (Conductivity).
- 9 9.2. Other information (Surface tension).
- 9 9.2. Other information (Benzene Content).
- 9 9.2. Other information (Product Subcategory).
- 9 9.2. Other information (Lead content).
- 11 11.1.4. Toxicological information.
- 11 Acute toxicity.
- 11 Carcinogenicity.
- 11 11.1.13. Other information.
- 12 12.1. Toxicity.
- 12 Further information.
- 12 12.6. Other adverse effects.
- 14 DOT.
- 14 IMDG.
- 14 IATA.
- 15 Labelling.
- 15 Hazard Statements.
- 15 Safety phrases.
- 15 Chemical Inventories/Right-to-Know Lists:.
- 16 Maximum content of VOC.

Acronyms

ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR).

CAS No.: Chemical Abstracts Service.

CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia).

GHS: Globally Harmonized System.

HCS 2012: Hazard Communication Standard (2012 revision).

IATA: International Air Transport Association.

Revision 8 Revision date 2021-01-05

Other information

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Dangerous Goods.

LD: Lethal dose.

OEL: Occupational exposure limit.

OSHA: U.S. Occupational Safety and Health Administration.

PEL: Permissible Exposure Limit.

REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.

SVHC: Substance of very high concern.

US DOT: United States Department of Transportation.

VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.

Text of Hazard Statements in Section 3

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Acute Tox. 3: H331 - Toxic if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Eve Dam. 1: H318 - Causes serious eve dam.

Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.