



# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/12

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Dyne-O-Might® (Alt. 2)
Product code	404184, 304184 (TUR)
Registration No.	66171-6.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC8] Biocidal products (e.g. Disinfectants, pest control);
Description	Disinfectant.

#### 1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshar Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	SDS@neogen.com

#### 1.4. Emergency telephone number

	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)
--	--

#### Further information

	Manufactured By:. Preserve International 944 Nandino Blvd. Lexington, KY 40511-1205 U.S.A.  Preserve International is a wholly-owned subsidiary of Neogen Corporation.
--	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture


2.1.2. Classification - GHS	Skin Corr. 1C: H314; STOT SE 3: H335;
-----------------------------	---------------------------------------

#### 2.2. Label elements

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER/doctor/ if you feel unwell. P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

## 2.3. Other hazards

Other hazards	Contains substance(s) which are hazardous to the environment. Read the entire label and follow all use directions, restrictions, and precautions.
---------------	--

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycerin (Glycerin mist)		56-81-5	200-289-5		10 - 20%	
Propionic acid...% (Propionic acid)	607-089-00-0	79-09-4	201-176-3		30 - 40%	Skin Corr. 1B: H314;
Iodine (± Iodine)	053-001-00-3	7553-56-2	231-442-4		0 - 0.5%	Acute Tox. 4: H332; Acute Tox. 4: H312; Aquatic Acute 1: H400;
Phosphoric acid (75%) (Phosphoric acid)		7664-38-2	231-633-2		10 - 20%	Skin Corr. 1C: H314;
Citric acid monohydrate		77-92-9	201-069-1		1 - 10%	Eye Dam. 1: H318;

## Description

	Concentrations listed are not product specifications.
--	---

## Further information

	Full text of Hazard Statements listed in this Section is provided in Section 16.
--	--

## SECTION 4: First aid measures

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Immediate medical attention is required. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration.
Eye contact	Remove the affected person from the source of contamination immediately. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Contact lenses should be removed. Immediate medical attention is required.
Skin contact	Remove the affected person from the source of contamination immediately. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Immediate medical attention is required.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting unless told to do so by the poison control center or doctor. Probable mucosal damage may contraindicate the use of gastric lavage. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Corrosive to the respiratory tract. Causes burns. In severe cases, may cause loss of consciousness. May cause irritation to mucous membranes. May cause dizziness and headache.
Eye contact	Risk of serious damage to eyes. Causes severe inflammation and may damage the cornea. Danger of very serious irreversible effects.
Skin contact	Corrosive to living tissue. Causes skin burns. Danger of very serious irreversible effects.
Ingestion	Corrosive to living tissue. Causes severe burns. Danger of very serious irreversible effects. Ingestion may cause nausea and vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. Immediate medical attention is required. If medical advice is needed, have product container or label at hand.
--	---

## Further information

	Refer to product label and/or package insert for additional information.
--	--

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Do not breathe vapor or spray mist. Fire will produce dense black smoke.
--	--

## 5.3. Advice for firefighters

	In case of fire and/or explosion do not breathe fumes. Do not breathe vapor or spray mist. Wear: Self-contained breathing apparatus, Protective equipment.
--	--

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	In the case of cleanup following a spill, wear protective clothing and appropriate equipment to prevent exposure of skin and eyes and to prevent ingestion or inhalation. Ensure adequate ventilation of the working area. Keep personnel away from spill. Avoid contact with eyes and skin. Avoid prolonged or repeated exposure. Keep away from incompatible materials.
--	---

## 6.2. Environmental precautions

	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.
--	---

# Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 6.3. Methods and material for containment and cleaning up

Absorb spillage to prevent material damage. Clean spillage area thoroughly with plenty of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## 6.4. Reference to other sections

See Section(s) 2, 8, and 13 for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Handle and open container with care. Do not breathe vapor or spray mist. Ensure adequate ventilation of the working area. In case of insufficient ventilation, wear suitable respiratory equipment. Causes eye damage and skin damage. Wear chemical protective clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash the outside of gloves before removing them. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Contaminated work clothing should not be allowed out of the workplace. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not eat, drink or smoke in areas where this product is used or stored. Read the entire label and follow all use directions, restrictions, and precautions.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original container in a cool, dry place inaccessible to children and pets. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Keep containers closed and away from other chemicals. Do not store with incompatible substances or mixtures. Follow label instructions.

### 7.3. Specific end use(s)

See Section(s) 1.2 for further information.

### Further information

Refer to product label and/or package insert for additional information.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Exposure Limit Values


## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## Exposure Limit Values

Glycerin (Glycerin mist)	ACGIH TLV TWA: 10 mg/m <sup>3</sup> Notations: - OSHA PEL 8hr TWA mg m3: 15 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: - OSHA PEL 8hr TWA ppm: - Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:
Iodine (± Iodine)	ACGIH TLV TWA: - Notations: - OSHA PEL 8hr TWA mg m3: (C)1 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: C 0.1 ppm OSHA PEL 8hr TWA ppm: (C)0.1 Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:
Phosphoric acid (75%) (Phosphoric acid)	ACGIH TLV TWA: 1 mg/m <sup>3</sup> Notations: - OSHA PEL 8hr TWA mg m3: 1 NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: 3 mg/m <sup>3</sup> OSHA PEL 8hr TWA ppm: - Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:
Propionic acid...% (Propionic acid)	ACGIH TLV TWA: 10 ppm Notations: - OSHA PEL 8hr TWA mg m3: - NIOSH REL 10hr TWA ppm: NIOSH REL 15 min ST ppm:	ACGIH TLV STEL: - OSHA PEL 8hr TWA ppm: - Skin Designation: - NIOSH REL 10hr TWA mg m3: NIOSH REL 15 min ST mg m3:

## 8.2. Exposure controls

	
Appropriate engineering controls	Ensure adequate ventilation of the working area. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects.
Individual protection measures	Wear chemical protective clothing. Do not breathe dust or vapor.
Eye / face protection	Wear: Approved safety goggles, Face shield.
Skin protection - Hand protection	Wear: Chemical resistant gloves. Wash the outside of gloves before removing them. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
Skin protection - Other	After contact with skin, wash immediately with plenty of soap and water. Wear suitable protective clothing, gloves and eye/face protection.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Provide chemical shower. Provide eye wash station. Protect clothing from contact with the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contamination of food or feedstuffs.

## Further information

	Refer to product label for additional PPE requirements and recommendations. Follow label instructions.
--	--

## SECTION 9: Physical and chemical properties

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 9.1. Information on basic physical and chemical properties

<b>State</b>	Liquid
<b>Color</b>	Amber
<b>Odor</b>	Characteristic/Mild
<b>Relative density</b>	1.1 - 1.15
<b>pH</b>	0.5 - 1.5
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Boiling point</b>	No data available
<b>Flash point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Odor threshold</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Oxidizing properties</b>	No data available
<b>Explosive properties</b>	Not applicable.
<b>Flammability limits</b>	Not applicable.
<b>Solubility</b>	Soluble in water

## 9.2. Other information

<b>Benzene Content</b>	No data available
<b>Lead content</b>	No data available
<b>VOC (Volatile organic compounds)</b>	Not applicable.
<b>Gas group</b>	Not applicable.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.
--	---

## 10.4. Conditions to avoid

	Keep away from extreme temperatures. Keep away from incompatible materials.
--	---

## 10.5. Incompatible materials

	Keep away from bases, Alkali metals, Strong oxidizing agents.
--	---

## 10.6. Hazardous decomposition products

	Carbon oxides.
--	----------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 11.1. Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain substance(s) that are classified as hazardous. For more information, see Section 3.
Skin corrosion/irritation	Corrosive to living tissue. Causes burns. Possible risk of irreversible effects.
Serious eye damage/irritation	Causes severe burns. Causes severe inflammation and may damage the cornea. Possible risk of irreversible effects.
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-123. Not listed in the National Toxicology Program (NTP) 14th Report on Carcinogens. Not listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause oral mucosal irritation.
STOT-repeated exposure	Component(s) may cause damage to human organs based on animal data.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.

## 11.1.2. Mixtures

	See Section(s) 3 for further information.
--	---

## 11.1.3. Hazard Information

	See Section(s) 2 and 3 for further information.
--	---

## 11.1.4. Toxicological information

	No data available
--	-------------------

## 11.1.5. Hazard Class

	See Section(s) 2 and 4 for further information.
--	---

## 11.1.6. Classification Criteria

	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
--	--

## 11.1.7. Information on likely routes of exposure

	Eye contact. Skin contact. Ingestion. Inhalation.
--	---

## 11.1.8. Symptoms related to the physical, chemical and toxicological characteristics

	See Section(s) 4.2 for further information.
--	---

## 11.1.9. Delayed and immediate effects as well as chronic effects from short and long-term exposure

	See Section(s) 4.2 for further information.
--	---

## 11.1.10. Interactive effects

	No data available.
--	--------------------

## 11.1.11. Absence of specific data

--	--

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 11.1.11. Absence of specific data

&lt;1% of this mixture consists of ingredients of unknown acute toxicity.

## 11.1.12. Mixture versus substance information

See Section(s) 3 for further information.

## 11.1.13. Other information

No data available.

**SECTION 12: Ecological information**

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data is available on this product.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Dyne-O-Might® (Alt. 2) No data available

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

No data is available on this product.

**SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations. Do not discharge effluent containing this product to sewer systems. Follow label instructions.

## Disposal methods

Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not empty into drains; dispose of this material and its container in a safe way. Do not flush into surface water. Do not let product contaminate subsoil.

## Disposal of packaging

Nonrefillable container. Do not reuse or refill this container.  
If empty: Do not reuse this container. Place in trash or offer for recycling, if available.  
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. Can be recycled if in compliance with local and national regulations.

## Further information

Refer to product label and/or package insert for additional information.

**SECTION 14: Transport information**



## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## Hazard pictograms



## 14.1. UN number

UN1903

## 14.2. UN proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Propionic acid, Phosphoric acid)

## 14.3. Transport hazard class(es)

DOT	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## DOT

Hazard ID	80
Tunnel Category	(E)

## IMDG

EmS Code F-A S-B

## IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
Chemical Inventories/Right-to-Know Lists:	--International-- Basel Convention (Hazardous Waste): H8. Chemical Weapons Convention (OPCW): This material contains no reportable components. Kyoto Protocol Greenhouse Gases: This material contains no reportable components. Mercosur Agreement: Not applicable. Montreal Protocol: This material contains no reportable components.

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Rotterdam Convention: This material contains no reportable components.  
The Stockholm Convention: This material contains no reportable components.

--Asia and the ASEAN Nations--.

Catalog of Hazardous Chemicals (China): No. 126 [Propanoic acid, CAS No. 79-09-4], No. 2790 [Phosphoric acid, CAS No. 7664-38-2], No. 1649 [Hydriodic acid (solution), CAS No. 10034-85-2].  
Regulation of Minister of Trade of the Republic of Indonesia, Number 75, Year 2014, regarding The Second Amendment of Minister of Trade, Number 44, Year 2009, Regarding Provision, Distribution, and Control of Hazardous Substances: This product contains substances classified as usable hazardous and toxic materials. See Section 3 for additional information.  
Chemical Substances Control Law (Japan): This material contains no reportable components.  
Industrial Safety and Health Act, Dangerous Substances (Japan): Labeling/Notification required [Propionic acid, CAS No. 79-09-4], [Phosphoric acid, CAS No. 7664-38-2], [Iodine, CAS No. 7553-56-2].  
Poisonous and Deleterious Substances Act (Japan): Deleterious [Iodine, CAS No. 7553-56-2], [Hydrogen iodide, CAS No. 10034-85-2].  
Chemical Substances Subject to Permission (Korea): This material contains no reportable components.  
Restricted or Prohibited Substances (Korea): This material contains no reportable components.  
Use and Standards of Exposure of Chemicals Hazardous to Health (USECHH), Regulation 2000 (Malaysia): Schedule I exposure standard, [Propionic acid, CAS No. 79-09-4], [Phosphoric acid, CAS No. 7664-38-2], [Glycerin (mists), CAS No. 56-85-5].  
CLASS regulation. [Iodine, CAS No. 7553-56-2].  
Philippine Inventory of Chemicals and Chemical Substances (PICCS): Toxic Substances and Hazardous and Nuclear Wastes Control Act (RA6969):, [Propionic acid, CAS No. 79-09-4], [Phosphoric acid, CAS No. 7664-38-2], [Iodine, CAS No. 7553-56-2], [Hydriodic acid, CAS No. 10034-85-2], [Glycerin (mists), CAS No. 56-85-5], [Citric acid monohydrate, CAS No. 5949-29-1], [Polyoxyethylene-polyoxypropylene glycol, CAS No. 9003-11-6].  
Taiwan Toxic and Concerned Chemical Substances Control Act (TCCSCA): [Phosphoric acid, CAS No. 7664-38-2].  
Hazardous Substances Act (Thailand): This material contains no reportable components.  
Law on Chemicals (Vietnam): [Annex I, Appendix V, VII: Propionic acid, CAS No. 79-09-4], [Annex I, Appendix V, VII: Phosphoric acid, CAS No. 7664-38-2], [Appendix V, VI, VII: Iodine, CAS No. 7553-56-2], [Annex I, Appendix VII: Hydrogen iodide (hydriodic acid), CAS No. 10034-85-2].

--Australia and New Zealand--.

Australian Dangerous Goods Code: Class 8.  
Australian Inventory of Chemical Substances (AICS): All ingredients listed or exempt.  
New Zealand Inventory of Chemicals (NZIoC): All ingredients listed or exempt.

--European Union (EU) and the United Kingdom (UK)--.

Authorization List (Annex XIV of REACH): This material contains no reportable components.  
Annex XVII for REACH: This material contains no reportable components.  
Article 95 of the Biocidal Products Regulation (BPR): PT 4 [Iodine, CAS No. 7553-56-2].

--North America--.

Domestic/Non-Domestic Substances Lists (DSL/NDSL): All ingredients listed or exempt.  
Toxic Substances Control Act (TSCA): All ingredients listed or exempt.  
Massachusetts Right-to-Know Hazardous Substance List: Propionic acid, Phosphoric acid.  
New Jersey Worker and Community Right to Know Act: Propionic acid, Phosphoric acid, Hydriodic acid.  
Pennsylvania Right to Know Law: Propanoic acid, Phosphoric acid.  
Rhode Island Right-to-Know General Law: Propionic acid, Phosphoric acid, Glycerin (mists).

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

California Prop 65: This material contains no reportable components.

## Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Glycerin (1,2,3-Propanetriol)	Y	N	N	N	N	N	N	N	N
Hydrogen iodide (Hydriodic acid)	Y	N	N	N	N	N	N	N	N
Propionic acid...% (Propanoic acid)	Y	N	N	N	N	N	Y	N	N
Iodine	Y	N	N	N	N	N	N	N	N
Phosphoric acid (75%) (Phosphoric acid)	Y	Y	N	N	N	N	Y	N	N

## Further information

FIFRA Signal Word FIFRA Warning	This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.
	DANGER.
	Keep out of reach of children. Hazards to humans and domestic animals. Corrosive. Causes eye damage and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas:. 1 - Manufactured By:. 1 - Registration No. 2 - 2.1.2. Classification - GHS. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 9 - 9.2. Other information (Gas group). 9 - 9.2. Other information (Benzene Content). 9 - 9.2. Other information (Product Subcategory). 9 - 9.2. Other information (Lead content). 12 - 12.1. Toxicity. 14 - DOT. 14 - IMDG. 14 - IATA. 16 - Maximum content of VOC. 16 - Acronyms.
Acronyms	ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR). CAS No.: Chemical Abstracts Service. CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013 (Malaysia). GHS: Globally Harmonized System.

## Dyne-O-Might® (Alt. 2)

Revision 1  
Revision date 2020-03-03

## Other information

	<p>HCS 2012: Hazard Communication Standard (2012 revision).  IATA: International Air Transport Association.  ICAO: International Civil Aviation Organization.  IMDG: International Maritime Dangerous Goods.  LD: Lethal dose.  OEL: Occupational exposure limit.  OSHA: U.S. Occupational Safety and Health Administration.  PEL: Permissible Exposure Limit.  REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.  SVHC: Substance of very high concern.  US DOT: United States Department of Transportation.  VOC: Volatile Organic Compound.  WEL: Workplace Exposure Limit.</p>
Text of Hazard Statements in Section 3	<p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  Skin Irrit. 2: H315 - Causes skin irritation.  Eye Irrit. 2: H319 - Causes serious eye irritation.  STOT SE 3: H335 - May cause respiratory irritation.  Acute Tox. 4: H312 - Harmful in contact with skin.  Acute Tox. 4: H332 - Harmful if inhaled.  Aquatic Acute 1: H400 - Very toxic to aquatic life.  Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.  Eye Dam. 1: H318 - Causes serious eye damage.</p>

## Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p> <p>Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.</p>
--	--