

KEEP OUT OF REACH OF CHILDREN

Indications: For use as an aid in prevention and treatment of ketosis (acetonemia) in dairy cattle.

Directions for Use: Mix with feed or use as a drench. Consult veterinarian if condition does not improve.

Prevention:

Dairy Cattle.....6-8 fl oz/head/day
Begin 2 weeks before calving and continue for 6 weeks after calving.

Treatment:

Dairy Cattle.....6-16 fl oz/head/day
Dosage dependent upon severity, to be given for up to 10 days.

Caution: Overuse may disrupt rumen flora, decrease rumen motility, and cause diarrhea. Not for human use.



NDC: 59051-235-01

FOR ANIMAL USE ONLY

Propylene Glycol, U.S.P.

Active Ingredients:

Propylene Glycol, USP.....100%

Storage: Store at a temperature between 15°-30°C (59°-86°F).
Keep container tightly closed when not in use.

Seller makes no warranty of any kind.

Made in the U.S.A.

Manufactured for:

Neogen Corporation
944 Nandino Blvd.
Lexington, KY 40511
859-254-1221 • 800-621-8829
animalsafety.neogen.com

Lot No.

Exp. Date:



Net Contents:
1 gallon (3.785 liters)

L621-0117

Item No. 79231



7 26087 79231 6