

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Cycle One

Page 1/8

| Revision | 0 |
|----------|---|
| | |

Revision date 2018-11-08

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | | | |
|---|--|--|--|--|
| 1.1. Product identifier | | | | |
| Product name | Cycle One | | | |
| Product code | 601045, 301045 | | | |
| 1.2. Relevant identified uses of t | he substance or mixture and uses advised against | | | |
| Product Use | [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products); | | | |
| Description | Cleaner. | | | |
| 1.3. Details of the supplier of the | e safety data sheet | | | |
| Company | Neogen Corporation | | | |
| Address | 620 Lesher Place | | | |
| | Lansing MI 48912 | | | |
| 14/- L | USA | | | |
| Web | www.neogen.com | | | |
| Telephone Email | 517-372-9200/800-234-5333 | | | |
| | regulatorysupport@neogen.com | | | |
| 1.4. Emergency telephone numb | | | | |
| Emergency telephone number 1-800-234-5333 | | | | |
| Further information | | | | |
| Manufactured By: | Preserve International | | | |
| | 944 Nandino Blvd. | | | |
| | Lexington, KY 40511-1205 U.S.A. | | | |
| | Preserve International is a wholly-owned subsidiary of Neogen Corporation. | | | |
| Hotline(s): | Medical: United States (1-800-498-5743), International (1-651-523-0318). | | | |
| | Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887). | | | |
| SECTION 2: Hazards identification | | | | |
| 2.1. Classification of the substance or mixture | | | | |
| 2.1.2. Classification - GHS | Ox. Liq. 1: H271; Skin Corr. 1A: H314; | | | |
| 2.2. Label elements | | | | |
| Hazard pictograms | | | | |



Cycle One

Revision 0 Revision date 2018-11-08

2.2. Label elements

| Signal Word | Danger | | |
|--------------------------------|---|--|--|
| Hazard Statement | Ox. Liq. 1: H271 - May cause fire or explosion; strong oxidiser. | | |
| | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. | | |
| Precautionary Statement: | P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No | | |
| Prevention | smoking. | | |
| | P220 - Keep/Store away from clothing//combustible materials. | | |
| | P221 - Take any precaution to avoid mixing with combustibles | | |
| | P260 - Do not breathe dust/fume/gas/mist/vapours/spray. | | |
| | P264 - Wash thoroughly after handling. | | |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. | | |
| | P283 - Wear fire/flame resistant/retardant clothing. | | |
| Precautionary Statement: | P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. | | |
| Response | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse | | |
| | skin with water/shower. | | |
| | P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. | | |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact | | |
| | lenses, if present and easy to do. Continue rinsing. | | |
| | P306+P360 - IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of | | |
| water before removing clothes. | | | |
| | P310 - Immediately call a POISON CENTER/doctor/ . | | |
| | P321 - Specific treatment (see on this label). | | |
| | P363 - Wash contaminated clothing before reuse. | | |
| | P370+P378 - In case of fire: Use to extinguish. | | |
| | P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely | | |
| | due to the risk of explosion. | | |
| Precautionary Statement: | P405 - Store locked up. | | |
| Storage | | | |
| Precautionary Statement: | P501 - Dispose of contents/container to an approved waste disposal facility in accordance with | | |
| Disposal | local and national regulations. | | |
| | | | |
| SECTION 3: Composition/in | formation on ingredients | | |

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|--|--------------|-------------|-----------|------------------------------|-----------------|--|
| Hydrogen peroxide solution% | 008-003-00-9 | 7722-84-1 | 231-765-0 | | 1 - 10% | Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A: H314; |
| Methanesulphonic acid | 607-145-00-4 | 75-75-2 | 200-898-6 | | 30 - 40% | Skin Corr. 1B: H314; |
| Sulphuric acid% (Sulfuric acid) | 016-020-00-8 | 7664-93-9 | 231-639-5 | | 20 - 30% | Skin Corr. 1A: H314; |
| Alcohols, C12-18, ethers w polyethylene glycol mono-Bu ether | | 146340-16-1 | | | 1 - 10% | Skin Irrit. 2: H315; Eye Irrit. 2: H319; |

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

May cause irritation to respiratory system. Move the exposed person to fresh air.



Revision date 2018-11-08

4.1. Description of first aid measures

| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Immediate medical attention is required. |
|--------------|---|
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. Seek medical attention. |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |

4.2. Most important symptoms and effects, both acute and delayed

| Inhalation | May cause irritation to respiratory system. | | |
|--|--|--|--|
| Eye contact | Causes severe burns. Risk of serious damage to eyes. | | |
| Skin contact | Causes severe burns. | | |
| Ingestion | Causes burns. Ingestion may cause nausea and vomiting. | | |
| A 3 Indication of any immediate medical attention and special treatment peeded | | | |

4.3. Indication of any immediate medical attention and special treatment needed

Remove the affected person from the source of contamination immediately. If you feel unwell, seek medical advice (show the label where possible). Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| 1 | Use extinguishing media appropriate to the surrounding fire conditions. |
|---|---|
| | Use extinguishing megia appropriate to the surrounging life conditions. |
| | |

5.2. Special hazards arising from the substance or mixture

| STRONG OXIDIZER, CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes. |
|--|
| |

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| Avoid contact with eyes and skin. Wash hands after handling the product. Ensure | |
|---|---|
| | ventilation of the working area. Wear suitable protective clothing, gloves and eye/face protection. |
| | Wear suitable respiratory equipment when necessary. |

6.2. Environmental precautions

Prevent further spillage if safe. Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Absorb spillage to prevent material damage. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.

6.4. Reference to other sections

See section 2, 8, and 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear suitable gloves and eye/face protection. Avoid contact with eyes, skin or clothing. Wash hands



| 7.1. Precautions for safe handling | | | | |
|--|--|--|--|--|
| | after handling the product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Ensure adequate ventilation of the working area. | | | |
| 7.2. Conditions for safe storage, | including any incompatibilities | | | |
| Keep only in the original container in a cool, well-ventilated place away from excessive heat or cold. Keep away from combustible material. Contact with combustible material may cause fire. Keep away from sources of ignition - No smoking. | | | | |
| 7.3. Specific end use(s) | | | | |
| | See section 1.2 for further information. | | | |
| Further information | | | | |
| | Follow label instructions. When mixing, always add product to water, never in reverse order. Adding water to product may cause extreme heat and toxic fumes. | | | |
| SECTION 8: Exposure controls/personal protection | | | | |

8.1. Control parameters

Exposure Limit Values Sulphuric acid...% (Sulfuric acid) ACGIH TLV TWA: 0.2 mg/m³ (T) ACGIH TLV STEL: Notations: A2 (M) OSHA PEL 8hr TWA ppm:

| | ······································ | |
|--|--|----------------------------|
| | Notations: A2 (M) | OSHA PEL 8hr TWA ppm: - |
| | OSHA PEL 8hr TWA mg m3: 1 | Skin Designation: - |
| | NIOSH REL 10hr TWA ppm: | NIOSH REL 10hr TWA mg m3: |
| | NIOSH REL 15 min ST ppm: | NIOSH REL 15 min ST mg m3: |

8.2. Exposure controls

| Appropriate engineering controls | Ensure adequate ventilation of the working area. | | |
|--------------------------------------|---|--|--|
| Individual protection measures | Use as appropriate:. Protective clothing. | | |
| Eye / face protection | Wear eye/face protection. | | |
| Skin protection - Hand protection | Wear suitable gloves. | | |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. | | |
| Occupational exposure controls | Keep away from food, drink and animal feed and/ or feed products. | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

| State | Liquid | | | | | | |
|--------------------------|-------------------------------|--|--|--|--|--|--|
| Color | ark yellow/Orange | | | | | | |
| Odor | light | | | | | | |
| Odour threshold | lo data available | | | | | | |
| pH | < 1 | | | | | | |
| Melting point | No data available | | | | | | |
| Boiling point | No data available | | | | | | |
| Flash point | No data available | | | | | | |
| Evaporation rate | No data available | | | | | | |
| Flammability limits | Not applicable. | | | | | | |
| Vapor pressure | No data available | | | | | | |
| Vapor density | No data available | | | | | | |
| Relative density | 1.13 - 1.16 (H2O = 1 @ 20 °C) | | | | | | |
| Partition coefficient | No data available | | | | | | |
| Autoignition temperature | No data available | | | | | | |
| Viscosity | No data available | | | | | | |
| Explosive properties | No data available | | | | | | |
| Oxidising properties | No data available | | | | | | |
| Solubility | Soluble in water | | | | | | |

9.2. Other information

| VOC (Volatile organic | No data available |
|-----------------------|-------------------|
| compounds) | |
| | |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | STRONG OXIDIZER, CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|
| 10.2. Chemical stability | | | | | | | |
| | Stable under normal conditions. | | | | | | |
| 10.3. Possibility of hazardous re | actions | | | | | | |
| | Contact with combustible material may cause fire. Keep away from incompatible materials. | | | | | | |
| 10.4. Conditions to avoid | | | | | | | |
| | Keep away from heat. Heat will increase pressure in sealed containers. | | | | | | |
| 10.5. Incompatible materials | | | | | | | |
| | Contact with combustible material may cause fire. | | | | | | |
| 10.6. Hazardous decomposition | products | | | | | | |
| | Carbon oxides. Hydrocarbons. | | | | | | |
| SECTION 11: Toxicological | information | | | | | | |
| 11.1 Information on toxicologic | al officiato | | | | | | |

11.1. Information on toxicological effects

| Skin corrosion/irritation | Causes severe burns. May cause degreasing of the skin. | | | |
|-------------------------------|--|--|--|--|
| Serious eye damage/irritation | Causes burns. Risk of serious damage to eyes. | | | |
| Respiratory or skin | May cause allergic reactions in susceptible people. | | | |
| sensitisation | | | | |



Cycle One

Revision 0

Revision date 2018-11-08

| 11.1. Information on toxicologica | I effects | | | | | |
|--|---|--|--|--|--|--|
| Carcinogenicity | Not found to be a potential carcinogen in the International Agency for Research on Cancer (IAR Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens. | | | | | |
| Repeated or prolonged exposure | Avoid prolonged or repeated exposure. | | | | | |
| 11.1.4. Toxicological information | | | | | | |
| | No data available | | | | | |
| SECTION 12: Ecological info | prmation | | | | | |
| 12.1. Toxicity | | | | | | |
| | No data available | | | | | |
| 12.2. Persistence and degradab | ility | | | | | |
| | No data available. | | | | | |
| 12.3. Bioaccumulative potential | | | | | | |
| | | | | | | |
| | No data available. | | | | | |
| Partition coefficient | | | | | | |
| | Cycle One No data available Sulphuric acid% Not relevant | | | | | |
| SECTION 13: Disposal cons | iderations | | | | | |
| 13.1. Waste treatment methods | | | | | | |
| | Dispose of in compliance with all. local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes. | | | | | |
| Disposal methods | | | | | | |
| | Contact a licensed waste disposal company. Do not contaminate water by cleaning of equipment or disposal of wastes. | | | | | |
| Disposal of packaging | | | | | | |
| | Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling. | | | | | |
| SECTION 14: Transport info | rmation | | | | | |
| Hazard pictograms | | | | | | |
| | | | | | | |
| 14.1. UN number | | | | | | |
| | UN3098 | | | | | |
| 14.2. UN proper shipping name | | | | | | |
| | OXIDIZING LIQUID, CORROSIVE, N.O.S. (Hydrogen peroxide, Sulfuric acid) | | | | | |
| 14.3. Transport hazard class(es) | | | | | | |
| DOT | 5.1 | | | | | |
| Copyright © 2018 ChemSoft. All rights reserved | Powered by ChemSoft EH&S | | | | | |

Cycle One

 Revision
 0

 Revision date
 2018-11-08

| 14.3. Transport hazard class(e | s) |
|---------------------------------|---|
| Subsidiary risk | 8 |
| IMDG | 5.1 |
| Subsidiary risk | 8 |
| IATA | 5.1 |
| Subsidiary risk | 8 |
| 14.4. Packing group | |
| Packing group | 1 |
| 14.5. Environmental hazards | |
| Environmental hazards | No |
| Marine pollutant | No |
| DOT | |
| Hazard ID | - |
| Tunnel Category | (E) |
| IMDG | |
| EmS Code | F-A S-Q |
| ΙΑΤΑ | |
| Packing Instruction (Cargo) | 553 |
| Maximum quantity | 2.5 L |
| Packing Instruction | FORBIDDEN |
| (Passenger) | |
| Maximum quantity | FORBIDDEN |
| SECTION 15: Regulatory ir | nformation |
| 15.1. Safety, health and enviro | nmental regulations/legislation specific for the substance or mixture |
| Regulations | Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication. |
| | All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory. |
| | US State Regulations: New Jersey Right-to-Know Hazardous Substance List: Hydrogen peroxide, Sulfuric acid |
| | Pennsylvania Right-to-Know Hazardous Substance List: |

Rhode Island Right-to-Know Hazardous Substance List: Hydrogen peroxide, sulfuric acid.

California Prop 65:. WARNING: Cancer - www.P65Warnings.ca.gov.

Hydrogen peroxide, Sulfuric acid.

Inventories



| Revision | 0 |
|---------------|------------|
| Revision date | 2018-11-08 |

| Ingredient | TSCA | MA | SARA313 | CALPROP65 | CWA307 | CAA112 | CWA311 | SARA302 | SARA304 |
|---|--|----|---------|-----------|--------|--------|--------|---------|---------|
| Hydrogen peroxide solution% (Hydrogen peroxide (H2O2)) | Y | Ν | Ν | Ν | Ν | Ν | Ν | Y 1,000 | Y 1,000 |
| Methanesulphonic acid (Methanesulfonic acid) | Y | Ν | Ν | Ν | Ν | Ν | Ν | Ν | Ν |
| Sulphuric acid% (Sulfuric acid) | Y | Y | Y 1.0 | Ν | Ν | Ν | Y | Y 1,000 | Y 1,000 |
| SECTION 16: Other information | on | | | | | | | | |
| Other information | | | | | | | | | |
| Text of Hazard Statements in Section 3 | Ox. Liq. 1: H271 - May cause fire or explosion; strong oxidiser. Ox. Liq. 2: H272 - May intensify fire; oxidiser. Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H332 - Harmful if inhaled. STOT SE 3: H335 - May cause respiratory irritation. | | | | | | | | |

| DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use. |
|--|
| Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS |

resulting from the use of this product.

PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed

