

## SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

### DSC 1000™

Revision 0  
Revision date 2018-10-09

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	DSC 1000™
Product code	D12523900, D12552655, D12552700

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);
Description	Cleaner.

##### 1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshler Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com

##### 1.4. Emergency telephone number

Emergency telephone number	1-800-234-5333
----------------------------	----------------

##### Further information

Manufactured By:	HACCO, Inc. 110 Hopkins Dr. Randolph, WI 53956-1316 U.S.A.
Hotline(s):	HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation. Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - GHS	Flam. Liq. 3: H226; Skin Corr. 1B: H314;
-----------------------------	--

##### 2.2. Label elements

Hazard pictograms	 
-------------------	---

## DSC 1000™

Revision 0  
Revision date 2018-10-09

## 2.2. Label elements

<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
<b>Precautionary Statement: Prevention</b>	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ . P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use to extinguish.
<b>Precautionary Statement: Storage</b>	P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved waste disposal plant (in accordance with local/regional/national/international regulation).

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Alcohols, C9-11, Ethoxylated		68439-46-3			10 - 20%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 2: H401; Aquatic Chronic 3: H412;
Quaternary ammonium compounds benzyl C12-16 - alkyldimethyl, chlorides		68424-85-1	270-325-2		10 - 20%	Acute Tox. 4: H302+H312; Skin Corr. 1B: H314;
Isopropanol (2-Propanol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Lemon peel fragrance-generic		5392-40-5			0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H335; STOT SE 3: H336; STOT RE 2: H373;

## Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First aid measures

## DSC 1000™

Revision 0  
Revision date 2018-10-09

## 4.1. Description of first aid measures

Inhalation	Inhalation of vapor may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation of vapor may cause shortness of breath. May cause sensitization by inhalation.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention.
Skin contact	Causes skin burns.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam.
--	--

## 5.2. Special hazards arising from the substance or mixture

	. Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Eliminate all sources of ignition. Wear suitable protective equipment.
--	--

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

## 6.3. Methods and material for containment and cleaning up

	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

## 6.4. Reference to other sections

	See section 2, 8, & 13 for further information.
--	---

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.
--	--

## DSC 1000™

Revision 0  
Revision date 2018-10-09

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

## 7.3. Specific end use(s)

	See section 1.2 for further information.
--	--


## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## Exposure Limit Values

Isopropanol (2-Propanol)	ACGIH TLV TWA: 200 ppm	ACGIH TLV STEL: 400 ppm
	Notations: A4	OSHA PEL 8hr TWA ppm: 400
	OSHA PEL 8hr TWA mg m3: 980	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

## 8.2. Exposure controls

	
Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use appropriate personal protective equipment.
Eye / face protection	Wear:.. Approved safety goggles. Use as appropriate:.. Face shield.
Skin protection - Hand protection	Chemical resistant gloves (PVC).
Respiratory protection	Wear:.. Self-contained breathing apparatus.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

## DSC 1000™

Revision 0  
Revision date 2018-10-09

## 9.1. Information on basic physical and chemical properties

<b>State</b>	Liquid
<b>Color</b>	Blue
<b>Odor</b>	Mild/Alcoholic
<b>Odour threshold</b>	No data available
<b>pH</b>	5.5 - 7.5
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Boiling point</b>	No data available
<b>Flash point</b>	46.1 °C
<b>Evaporation rate</b>	No data available
<b>Flammability limits</b>	Not applicable.
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Relative density</b>	0.9856 (H <sub>2</sub> O = 1 @ 20 °C)
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	Soluble in water

## 9.2. Other information

<b>Softening point</b>	No data available
<b>VOC (Volatile organic compounds)</b>	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	No data available.
--	--------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	Oxidizing agents.
--	-------------------

## 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

## 10.5. Incompatible materials

	Oxidizing agents.
--	-------------------

## 10.6. Hazardous decomposition products

	Carbon oxides.
--	----------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

<b>Acute toxicity</b>	No data available.
<b>Skin corrosion/irritation</b>	Causes burns.

## DSC 1000™

Revision 0  
Revision date 2018-10-09

## 11.1. Information on toxicological effects

Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No data available.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No data available.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No data available.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

## 11.1.4. Toxicological information

	No data available
--	-------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data available
--	-------------------

## 12.2. Persistence and degradability

	No data available.
--	--------------------

## 12.3. Bioaccumulative potential

## Partition coefficient

	DSC 1000™ No data available
--	-----------------------------

## 12.4. Mobility in soil

	No data available.
--	--------------------

## 12.5. Results of PBT and vPvB assessment

	No data available.
--	--------------------

## 12.6. Other adverse effects

	No data available.
--	--------------------

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of in compliance with all local and national regulations.
--	---

## Disposal methods

	Dispose of in compliance with all local and national regulations.
--	---

## Disposal of packaging

	Dispose of in compliance with all local and national regulations. Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
--	--

## DSC 1000™

Revision 0  
Revision date 2018-10-09**SECTION 14: Transport information**

## Hazard pictograms



## 14.1. UN number

UN2920

## 14.2. UN proper shipping name

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, ISOPROPANOL SOLUTIONS)

## 14.3. Transport hazard class(es)

DOT	8
Subsidiary risk	3
IMDG	8
Subsidiary risk	3
IATA	8
Subsidiary risk	3

## 14.4. Packing group

Packing group II

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## DOT

Hazard ID	83
Tunnel Category	(D/E)

## IMDG

EmS Code	F-E S-C
----------	---------

## IATA

Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction (Passenger)	851
Maximum quantity	1 L

**SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication. All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.
-------------	---

## DSC 1000™

Revision 0  
Revision date 2018-10-09

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

US State Regulations:  
New Jersey Right-to-Know Hazardous Substance List:  
Isopropanol (2-Propanol)

Pennsylvania Right-to-Know Hazardous Substance List:  
Isopropanol (2-Propanol).

Massachusetts Right-to-Know Hazardous Substance List: Isopropanol (2-Propanol).

Rhode Island Right-to-Know Hazardous Substance List: Isopropanol (2-Propanol).

## Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Isopropanol (2-Propanol)	Y	N	Y 1.0	N	N	N	N	N	N

## SECTION 16: Other information

## Other information

## Text of Hazard Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.  
Eye Dam. 1: H318 - Causes serious eye damage.  
Aquatic Acute 2: H401 - Toxic to aquatic life.  
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.  
Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin  
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
STOT SE 3: H336 - May cause drowsiness or dizziness.  
Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
STOT SE 3: H335 - May cause respiratory irritation.  
STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .

## Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.