

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

Tetrabase®-75

Revision 0
Revision date 2018-11-08

1.1. Product identifier

Product name Tetrabase®-75
Product code 652202, 302202

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);

Description Cleaner.

1.3. Details of the supplier of the safety data sheet

Company Neogen Corporation

Address 620 Lesher Place Lansing MI 48912

USA

Web www.neogen.com

 Telephone
 517-372-9200/800-234-5333

 Email
 regulatorysupport@neogen.com

1.4. Emergency telephone number

Emergency telephone number | 1-800-234-5333

Further information

Manufactured By: Preserve International

944 Nandino Blvd.

Lexington, KY 40511-1205 U.S.A.

Preserve International is a wholly-owned subsidiary of Neogen Corporation.

Hotline(s): Medical: United States (1-800-498-5743), International (1-651-523-0318).

Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - GHS Skin Corr. 1B: H314; Aquatic Acute 1: H400;

2.2. Label elements

Hazard pictograms





Revision 0 Revision date 2018-11-08

2.2. Label elements

Signal Word	Danger
Hazard Statement	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/. P321 - Specific treatment (see on this label). P363 - Wash contaminated clothing before reuse. P391 - Collect spillage.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		20 - 30%	Skin Corr. 1A: H314;
Sodium hypochlorite, solution% CI active	017-011-00-1	7681-52-9	231-668-3		20 - 30%	EUH031; Skin Corr. 1B: H314; Aquatic Acute 1: H400;
Propanoic acid, 2-oxo-, sodium salt		113-24-6			1 - 10%	Acute Tox. 4: H312; Skin Irrit. 2: H315;
Phosphonobutane-1,2,4-tricarboxyli c acid		37971-36-1			0 - 0.5%	Met. Corr. 1: H290; Skin Corr. 1A: H314; Eye Dam. 1: H318;

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to respiratory system. Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Immediate medical attention is required.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Seek medical attention.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

•	<i>,</i> ,	<u>*</u>	<u> </u>		
Inhalation		May cause irritatio	n to respiratory system.		

Revision 0 Revision date 2018-11-08

4.2. Most important symptoms a	and effects, both acute and delayed
Eye contact	Causes severe burns. Risk of serious damage to eyes.
Skin contact	Causes severe burns.
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.
4.3. Indication of any immediate	e medical attention and special treatment needed
	Remove the affected person from the source of contamination immediately. If you feel unwell, seek medical advice (show the label where possible). Seek medical attention if irritation or symptoms persist.
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	m the substance or mixture
	Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Avoid contact with eyes and skin. Wash hands after handling the product. Ensure adequate ventilation of the working area.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for c	ontainment and cleaning up
	Absorb spillage to prevent material damage. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sections	3
	See section 2, 8, and 13 for further information.
SECTION 7: Handling and s	storage
7.1. Precautions for safe handli	<u> </u>
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear suitable gloves and eye/face protection. Avoid contact with eyes, skin or clothing. Wash hands after handling the product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Ensure adequate ventilation of the working area.
7.2. Conditions for safe storage	, including any incompatibilities
	Keep only in the original container in a cool, well-ventilated place away from excessive heat or cold.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure cont	rols/personal protection


Revision 0
Revision date 2018-11-08

8.1. Control parameters

Exposure Limit Values

Sodium hydroxide	ACGIH TLV TWA: -	ACGIH TLV STEL: C 2 mg/m³				
	Notations: -	OSHA PEL 8hr TWA ppm: -				
	OSHA PEL 8hr TWA mg m3: 2	Skin Designation: -				
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:				
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:				

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid					
Color	Clear					
Odor	Chlorine					
Melting point	No data available					
Freezing Point	No data available					
Boiling point	a available					
Evaporation rate	a available					
Flammability limits	plicable.					
Vapor pressure	uta available					
Vapor density						
Relative density	1.2 - 1.22 (H2O = 1 @ 20 °C)					
Odour threshold	No data available					
рН	12.75 - 13.25					
Flash point	data available					
Partition coefficient	No data available					
Autoignition temperature	data available					
Viscosity	No data available					
Explosive properties	No data available					
Oxidising properties	No data available					
Solubility	Miscible in water					

Revision 0 Revision date 2018-11-08

9.2. Other information						
VOC (Volatile organic compounds)	No data available					
SECTION 10: Stability and re	eactivity					
10.1. Reactivity						
	No data available.					
10.2. Chemical stability						
	Stable under normal conditions.					
10.3. Possibility of hazardous re	actions					
	Keep away from incompatible materials.					
10.4. Conditions to avoid						
	Keep away from heat. Heat will increase pressure in	n sealed containers.				
10.5. Incompatible materials						
	Strong acids.					
10.6. Hazardous decomposition	products					
	Carbon oxides.					
SECTION 11: Toxicological	information					
11.1. Information on toxicological	al effects					
Skin corrosion/irritation	Causes burns.					
Serious eye damage/irritation	Causes burns.					
Respiratory or skin sensitisation	No sensitizaton effects reported.					
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.					
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.	ge				
11.1.4. Toxicological information	1					
Sodium hypochlorite, solution% Cl active	Oral Rat LD50: 8200 mg/kg	Dermal Rabbit LD50: > 10000 mg/kg				
SECTION 12: Ecological info	ormation					
12.1. Toxicity						
Sodium hydroxide	Fish LC50/96h: 125.000000 mg/l	Rainbow trout LC50/96h: 45.4 mg/l				
12.2. Persistence and degradab	ility					
	No data available.					
12.3. Bioaccumulative potential						
	No data available.					
Partition coefficient						

Revision 0 Revision date 2018-11-08

Partition coefficient	
	Tetrabase®-75 No data available
SECTION 13: Disposal consi	derations
13.1. Waste treatment methods	dordiono
Tom Waste a cause in moderate	Dispose of in compliance with all. local and national regulations.
Disposal methods	Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal metrous	Contact a licensed waste disposal company. Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
SECTION 14: Transport infor	mation
Hazard pictograms	
. 3	8
14.1. UN number	
	UN3266
14.2. UN proper shipping name	
	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, Sodium hypochlorite)
14.3. Transport hazard class(es)	
DOT	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-
14.4. Packing group	
Packing group	
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
DOT	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	

Revision 0
Revision date 2018-11-08

IATA

Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction	851
(Passenger)	
Maximum quantity	1L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

US State Regulations:

New Jersey Right-to-Know Hazardous Substance List:

Sodium hydroxide, Sodium hypochlorite

Pennsylvania Right-to-Know Hazardous Substance List:

Sodium hydroxide, Sodium hypochlorite.

Rhode Island Right-to-Know Hazardous Substance List: Sodium hydroxide, Sodium hypochlorite.

Massachusetts Right-to-Know Hazardous Substance List: Sodium hydroxide, Sodium hypochlorite.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Sodium hydroxide (Sodium hydroxide	Υ	N	N	N	N	N	Υ	N	N
(Na(OH)))									
Sodium hypochlorite, solution% CI	Υ	N	N	N	N	N	Υ	N	N
active (Hypochlorous acid, sodium salt)									

SECTION 16: Other information

Other information

Text of Hazard Statements	in
Section 3	

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

EUH031 - Contact with acids liberates toxic gas. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Acute Tox. 4: H312 - Harmful in contact with skin. Met. Corr. 1: H290 - May be corrosive to metals.

Eye Dam. 1: H318 - Causes serious eye damage.

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Revision 0
Revision date 2018-11-08

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.