

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

Tetrabase®-P3

Revision 0
Revision date 2018-11-06

1	1	1	Pr	od	h	ct	iЫ	en	tifi	er

Product name	Tetrabase®-P3
Product code	652069

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35]
	Washing and cleaning products (including solvent based products);
Description	Cleaner

1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Lesher Place
	Lansing MI 48912
	USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Fmail	regulatorysupport@neogen.com

1.4. Emergency telephone number

Emergency telephone number	4 000 224 5222
Emergency telephone number	1 1-800-234-5333

Further information

Hotline(s):

Manufactured By:	Preserve International
	944 Nandino Blvd.

Lexington, KY 40511-1205 U.S.A.

Preserve International is a wholly-owned subsidiary of Neogen Corporation.

Medical: United States (1-800-498-5743), International (1-651-523-0318).

Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.2. Label elements

Hazard pictograms







Revision 0 Revision date 2018-11-06

2.2. Label elements

Signal Word	Danger
Hazard Statement	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER/doctor/ .
	P363 - Wash contaminated clothing before reuse.
	P391 - Collect spillage.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with
Disposal	local and national regulations.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium carbonate	011-005-00-2	497-19-8	207-838-8		40 - 50%	Eye Irrit. 2: H319;
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		20 - 30%	Skin Corr. 1A: H314;
Sodium tripolyphosphate		7758-29-4	231-838-7		20 - 30%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;
Troclosene sodium, dihydrate	613-030-01-7	51580-86-0	220-767-7		1 - 10%	Acute Tox. 4: H302; Eye Irrit. 2: H319; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9		1 - 10%	Skin Corr. 1B: H314; STOT SE 3: H335;

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to respiratory system. Move the exposed person to fresh air.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Immediate medical attention is required.			
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Seek medical attention.			
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an			

Revision 0 Revision date 2018-11-06

4.1. Description of first aid me	asures
+. I. Doodiption of mot did mo	unconscious person. If you feel unwell, seek medical advice (show the label where possible).
4.2. Most important symptoms	s and effects, both acute and delayed
Inhalation	May cause irritation to respiratory system.
Eye contact	Causes severe burns. Risk of serious damage to eyes.
Skin contact	Causes severe burns.
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.
4.3. Indication of any immedia	te medical attention and special treatment needed
	Remove the affected person from the source of contamination immediately. If you feel unwell, see medical advice (show the label where possible). Seek medical attention if irritation or symptoms persist.
SECTION 5: Firefighting m	neasures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising fr	om the substance or mixture
	Heat will increase pressure in sealed containers. Cool fire exposed containers with waterspray. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental re	lease measures
6.1. Personal precautions, pro	otective equipment and emergency procedures
	Avoid contact with eyes and skin. Wash hands after handling the product. Ensure adequate ventilation of the working area. Do not breathe dust.
6.2. Environmental precaution	
·	Do not flush into surface water. Prevent further spillage if safe.
6.3. Methods and material for	containment and cleaning up
	Absorb spillage to prevent material damage. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other sectio	
	See section 2, 8, and 13 for further information.
SECTION 7: Handling and	storage
7.1. Precautions for safe hand	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear suitable gloves and eye/face protection. Avoid contact with eyes, skin or clothing. Wash hands after handling the product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Ensure adequate ventilation of the working area.
7.2. Conditions for safe storage	e, including any incompatibilities
	Keep only in the original container in a cool, well-ventilated place away from excessive heat or cold.
7.3. Specific end use(s)	

Revision 0 Revision date 2018-11-06

7.3. Specific end use(s)

See section 1.2 for further information.


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limit Values

Sodium hydroxide	ACGIH TLV TWA: -	ACGIH TLV STEL: C 2 mg/m³				
	Notations: -	OSHA PEL 8hr TWA ppm: -				
	OSHA PEL 8hr TWA mg m3: 2	Skin Designation: -				
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:				
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:				

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 0 Revision date 2018-11-06

9.1. Information on basic physical and chemical properties

State	Powder
Color	White
Odor	Chlorine
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	Not applicable.
Flash point	No data available
Flammability limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

VOC (Volatile organic	No data available
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Keep away from incompatible materials.

10.4. Conditions to avoid

Keep in a cool, dry, well ventilated area. Keep away from excessive moisture.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Causes burns.
Serious eye damage/irritation	Causes burns.
Respiratory or skin	May cause allergic reactions in susceptible people.
sensitisation	
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC)
	Monographs, Volumes 1-112.

Revision 0 Revision date 2018-11-06

11.1. Information on toxicologica	al effects
	Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.
STOT-single exposure	Not listed in the OSHA standard 1910.1003 Carcinogens. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Repeated or prolonged	Avoid prolonged or repeated exposure.
exposure	Avoid prolonged of repeated exposure.
11.1.4. Toxicological information	
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
2.2. Persistence and degradab	ility
	More than 90% biodegradable.
12.3. Bioaccumulative potential	
	F.,
Danislan a seffericus	No data available.
Partition coefficient	Table 200 No. 11 Table 2011
	Tetrabase®-P3 No data available
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of in compliance with all. local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal methods	
	Contact a licensed waste disposal company. Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN1759
	I
14.2. UN proper shipping name	
14.2. UN proper shipping name	CORROSIVE SOLID, N.O.S. (Sodium hydroxide)
14.2. UN proper shipping name 14.3. Transport hazard class(es)	'

Revision 0 Revision date 2018-11-06

14.3. Transport hazard class(es)		
Subsidiary risk	-		
IMDG	8		
Subsidiary risk	-		
IATA	8		
Subsidiary risk	-		
14.4. Packing group			
Packing group	II		
14.5. Environmental hazards			
Environmental hazards	No		
Marine pollutant	No		
DOT			
Hazard ID	80		
Tunnel Category	(E)		
IMDG			
EmS Code	F-A S-B		
IATA			
Packing Instruction (Cargo)	863		
Maximum quantity	50 kg		
Packing Instruction (Passenger)	859		
Maximum quantity	15 kg		
SECTION 15: Regulatory information			

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
	All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.
	US State Regulations: New Jersey Right-to-Know Hazardous Substance List: Sodium hydroxide
	Pennsylvania Right-to-Know Hazardous Substance List: Sodium hydroxide.
	Rhode Island Right-to-Know Hazardous Substance List: Sodium hydroxide.

Revision 0 Revision date 2018-11-06

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Sodium carbonate (Carbonic acid disodium salt)	Y	N	N	N	N	N	N	N	N
Sodium hydroxide (Sodium hydroxide (Na(OH)))	Υ	N	N	N	N	N	Υ	N	N
Troclosene sodium, dihydrate	N	N	N	N	N	N	N	N	N
Disodium metasilicate (Silicic acid (H2SiO3), disodium salt)	Υ	N	N	N	N	N	N	N	N

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation. EUH031 - Contact with acids liberates toxic gas. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.