

2.2. Label elements

### SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

**Page** 1/8

### Prozap Final Fly-T

	Revision date 2018-10-08			
SECTION 1: Identification of	the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Prozap Final Fly-T			
Product code	1592010, 1597010, 1597510			
1.2. Relevant identified uses of t	he substance or mixture and uses advised against			
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC8] Biocidal products (e.g. Disinfectants, pest control);			
Description	Liquid insecticide.			
1.3. Details of the supplier of the	safety data sheet			
Company	Neogen Corporation			
Address	620 Lesher Place Lansing MI 48912 USA			
Web	www.neogen.com			
Telephone	517-372-9200/800-234-5333			
Email	regulatorysupport@neogen.com			
1.4. Emergency telephone numb	per			
Emergency telephone number	1-800-234-5333			
Further information				
Manufactured By:	Chem-Tech Ltd. 1006 Business Highway 5 Pleasantville, IA 50225 U.S.A.			
	Chem-Tech Ltd. is a wholly-owned subsidiary of Neogen Corporation.			
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318).			
	Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).			
SECTION 2: Hazards identifi	cation			
2.1. Classification of the substar	nce or mixture			
2.1.2. Classification - GHS	Asp. Tox. 1: H304; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H336; Aquatic Chronic 3: H412;			

Revision 0 Revision date 2018-10-08

### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  Skin Sens. 1: H317 - May cause an allergic skin reaction.  Eye Irrit. 2: H319 - Causes serious eye irritation.  STOT SE 3: H336 - May cause drowsiness or dizziness.  Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/. P302+P352 - IF ON SKIN: Wash with plenty of water/. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P321 - Specific treatment (see on this label). P331 - Do NOT induce vomiting. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility. Follow label instructions.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Distillates (petroleum), hydrotreated light.		64742-47-8			70 - 80%	Asp. Tox. 1: H304; STOT SE 3: H336;
Citronella oil		8000-29-1			0.5 - 1%	Flam. Liq. 4: H227; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335; Aquatic Acute 3: H402;
Piperonyl butoxide		51-03-6	200-076-7		0.5 - 1%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Pyrethrins (Pyrethrum)		8003-34-7			0 - 0.5%	Acute Tox. 4: H302+H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

### **Further information**

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measu	res		
4.1. Description of first aid meas	ures		
Inhalation	In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medica attention if irritation or symptoms persist.		
Skin contact	Remove contaminated clothing. Rinse immediately with plenty of water. Seek medical atter irritation or symptoms persist.		
Ingestion	If swallowed, seek medical advice immediately and show this container or label. DO NOT DRINK WATER. Do not administer anything by mouth.		
4.2. Most important symptoms a	nd effects, both acute and delayed		
Inhalation	May cause irritation to mucous membranes.		
Eye contact	May cause irritation to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	If swallowed, seek medical advice immediately and show this container or label.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
	Use extinguishing media appropriate to the surrounding fire conditions.		
5.2. Special hazards arising from	n the substance or mixture		
	Burning produces irritating, toxic and obnoxious fumes. Do not allow runoff water to enter sewers or drains.		
5.3. Advice for firefighters			
	Wear suitable respiratory equipment when necessary.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any water-proof material.		
6.2. Environmental precautions			
	Insoluble in water. Do not flush into surface water. Do not empty into drains.		
6.3. Methods and material for co	ntainment and cleaning up		
	Absorb spillage to prevent material damage. Clean area thoroughly with detergent.		
6.4. Reference to other sections			
	See section 2, 8, and 13 for further information.		
SECTION 7: Handling and st	torage		
7.1. Precautions for safe handling	ng		
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Ensure adequate ventilation of the working area. All handlers (including applicators) must wear long-sleeved shirt and long pants, and shoes plus socks. Wear suitable gloves. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.		
7.2. Conditions for safe storage,	including any incompatibilities		

Revision 0 Revision date 2018-10-08

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and animal feed and/ or feed products. Keep away from sources of ignition - No smoking. Keep only in the original container in a cool, well-ventilated place away from children and pets.

### 7.3. Specific end use(s)

See section 1.2 for further information.

### SECTION 8: Exposure controls/personal protection

### 8.2. Exposure controls





Appropriate engineering controls

Ensure adequate ventilation of the working area.

Eye / face protection

Use as appropriate:. Suitable eye protection.

Skin protection - Hand

Wear:. Chemical resistant gloves. Wash hands after handling the product.

protection Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Occupational exposure controls

Keep away from food, drink and animal feed and/ or feed products.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State Liquid

Color Clear/Light yellow

Odor

Characteristic/Strong

Odour threshold

No data available

No data available

Melting point

No data available

Freezing Point

No data available

**Boiling point** 

No data available

Flash point Evaporation rate No data available

No data available Not applicable.

Flammability limits Vapor pressure

No data available

Vapor density

No data available

Relative density

No data available

Partition coefficient

No data available No data available

Autoignition temperature Viscosity

No data available

Explosive properties

No data available

Oxidising properties

Solubility

No data available Immiscible in water

### 9.2. Other information

9.2. Other information	
VOC (Volatile organic	No data available
compounds)	
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	Avoid sparks, flames, heat and sources of ignition.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	Keep away from combustible material.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Keep in a cool place away from children and pets.
10.5. Incompatible materials	
	No data available.
10.6. Hazardous decomposition	products
	Carbon oxides.
SECTION 11: Toxicological	information
11.1. Information on toxicologica	al effects
Acute toxicity	May be harmful by ingestion, inhalation or if absorbed through the skin.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC)
	Monographs, Volumes 1-112.  Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.
	Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.
11.1.4. Toxicological information	1
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Insoluble in water.
12.3. Bioaccumulative potential	
	No data available.
Partition coefficient	
	Prozap Final Fly-T No data available

	Revision date 2018-10-0
12.6. Other adverse effects	
	May cause long-term adverse effects in the environment.
Further information	
	Toxic to bees.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of contents/container to an approved waste disposal facility. Follow label instructions.
SECTION 14: Transport info	ormation
Hazard pictograms	
	6
14.1. UN number	
	UN2902
14.2. UN proper shipping name	
	PESTICIDE, LIQUID, TOXIC, N.O.S.
14.3. Transport hazard class(es	· (i)
DOT	6.1
Subsidiary risk	1-
IMDG	6.1
Subsidiary risk	-
IATA	6.1
Subsidiary risk	<u> </u> -
14.4. Packing group	_
Packing group	
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
DOT	
Hazard ID	60
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-A
IATA	
Packing Instruction (Cargo)	663
Maximum quantity	220 L
Packing Instruction (Passenger)	655

Revision 0 Revision date 2018-10-08

_	_	_	_	_
1	Λ	п	г	Λ

Maximum quantity 60 L

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

US State Regulations:

New Jersey Right-to-Know Hazardous Substance List:

Pyrethrins, Piperonyl butoxide

Pennsylvania Right-to-Know Hazardous Substance List:

Pyrethrins, Piperonyl butoxide.

Rhode Island Right-to-Know Hazardous Substance List: Pyrethrins, Piperonyl butoxide.

#### Further information

#### **FIFRA**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

# FIFRA Signal Word FIFRA Warning

#### CAUTION.

Hazards to humans and domestic animals. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### **SECTION 16: Other information**

### Other information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.

# Text of Hazard Statements in Section 3

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Flam. Liq. 4: H227 - Combustible liquid.

Other information	
	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 3: H402 - Harmful to aquatic life. Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled