

2.1.2. Classification - GHS

2.2. Label elements

H412;

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/9

Prozap® Zinc Phosphide Pellets

Revision 0

	Revision date 2018-10-1
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Prozap® Zinc Phosphide Pellets
Product code	0077140, 0077240, 0283390, 0283490
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC8]
	Biocidal products (e.g. Disinfectants, pest control);
Description	Rodenticide. Restricted to professional users.
1.3. Details of the supplier of the	e safety data sheet
Company	Neogen Corporation
Address	620 Lesher Place
	Lansing MI 48912
	USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com
1.4. Emergency telephone numb	per
Emergency telephone number	1-800-234-5333
Further information	
Manufactured By:	HACCO, Inc.
· ·	110 Hopkins Dr.
	Randolph, WI 53956-1316 U.S.A.
	HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation.
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318).
	Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).
SECTION 2: Hazards identifi	ication
2.1. Classification of the substar	nce or mixture

Acute Tox. 4: H302; Carc. 1A: H350; STOT RE 2: H373; Aquatic Acute 1: H400; Aquatic Chronic 3:

Revision 0 **Revision date** 2018-10-16

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.
	Carc. 1A: H350 - May cause cancer .
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
Response	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P314 - Get medical advice/attention if you feel unwell.
	P330 - Rinse mouth.
	P391 - Collect spillage.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with
Disposal	local and national regulations.
2.3. Other hazards	
Other hazards	No data is available on this product.

Other hazards	No data is available on this product.
---------------	---------------------------------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Bentonite		1302-78-9			1 - 10%	6 Carc. 1A: H350; STOT RE 1: H372;
Trizinc diphosphide	015-006-00-9	1314-84-7	215-244-5		1 - 10%	Water-react. 1: H260; Acute Tox. 2: H300; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing stops, provide artificial respiration. If breathing is
	difficult give oxygen.

Revision 0 Revision date 2018-10-16

4.1. Description of first aid meas	ures
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor. DO NOT DRINK WATER. Do
	not administer anything by mouth.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	Coughing, difficulty in breathing and in severe cases, loss of consciousness.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Toxic if swallowed.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Immediate medical attention is required.
Eye contact	Immediate medical attention is required.
Skin contact	Immediate medical attention is required.
Ingestion	Immediate medical attention is required.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Contact with water liberates toxic gas. Burning produces irritating, toxic and obnoxious fumes. Do NOT use water jet. Do not allow runoff water to enter sewers or drains.
5.3. Advice for firefighters	
	In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	All handlers (including applicators) must wear long-sleeved shirt and barrier laminate gloves. Wear suitable protective clothing and eye/face protection. Avoid contact with skin and eyes. Wash hands after handling the product. Ensure adequate ventilation of the working area. Do not breathe dust. Avoid formation of dust. Keep public away from danger area. Keep upwind.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up
	Transfer to suitable, labelled containers for disposal. Avoid raising dust.
6.4. Reference to other sections	
	See section 2, 8 & 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	ug
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact

with eyes and skin. Wear suitable protective clothing and eye/face protection. Ensure adequate

Revision 0 Revision date 2018-10-16

breathe dust. Do not eat, drink or smoke in areas where this product is used or stored. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.

7.3. Specific end use(s)

7.1. Precautions for safe handling

See section 1.2 for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

Exposure Limit Values

Sucrose	ACGIH TLV TWA: 10 mg/m³	ACGIH TLV STEL: -
	Notations: A4	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 15	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

8.2. Exposure controls







Appropriate engineering controls

Ensure adequate ventilation of the working area.

Individual protection measures

Wear suitable protective clothing.

Eye / face protection

Use as appropriate:. Suitable eye protection.

Skin protection - Hand

Wear:. Chemical resistant gloves.

protection Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

Wear:. Suitable respiratory equipment.

Occupational exposure controls

Keep away from food, drink and animal feed and/ or feed products.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 0 Revision date 2018-10-16

9.1. Information on basic physical and chemical properties

State Pellets Color Grey

> Odor Characteristic

Odour threshold No data available

No data available

Melting point No data available Freezing Point Not applicable.

Boiling point Not applicable.

Flash point No data available

Flammability limits No data available

Vapor pressure No data available No data available

Vapor density Partition coefficient

Solubility

No data available

Autoignition temperature

No data available

Explosive properties

No data available Not applicable.

Oxidising properties

Slightly soluble in water

9.2. Other information

Bulk Density

5.39 g/cm³

VOC (Volatile organic compounds)

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with water liberates toxic gas.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Contact with water liberates toxic gas.

10.4. Conditions to avoid

Keep away from water. Keep in a cool place away from other chemicals.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Toxic if swallowed.	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
Respiratory or skin	No data available.	
sensitisation		

Revision 0 Revision date 2018-10-16

		110101011 4410 2010 10		
11.1. Information on toxicologic	cal effects			
Germ cell mutagenicity	No data available.			
Carcinogenicity	May cause cancer.			
	Not found to be a potential carcinogen in the Internation	nal Agency for Research on Cancer (IARC		
	Monographs, Volumes 1-112.	iai / igonoj loi / toosai on on oanooi (i/ ii to		
	Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.			
	Not listed in the OSHA standard 1910.1003 Carcinoger	ns		
Reproductive toxicity	No data available.			
STOT-single exposure	No data available.			
STOT-repeated exposure	No data available.			
Aspiration hazard	No data available.			
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.			
11.1.4. Toxicological information	on			
Propylene glycol	Oral Rat LD50: 20000 mg/kg	Dermal Rabbit LD50: 20800 mg/kg		
Trizinc diphosphide	Oral Rat LD50: 12 mg/kg	Dermal Rabbit LD50: 2000 mg/kg		
12.2. Persistence and degrada				
12.2. Persistence and degrada				
	No data available.			
12.3. Bioaccumulative potentia	1			
	Does not bioaccumulate.			
Partition coefficient				
	Prozap® Zinc Phosphide Pellets No data available	Sucrose No data available		
12.4. Mobility in soil				
	No data available.			
12.5. Results of PBT and vPvB	assessment			
	No data available.			
12.6. Other adverse effects				
	This product is extremely toxic to birds, fish, and other	wildlife. Do not apply to water.		
SECTION 13: Disposal con	siderations			
13.1. Waste treatment methods	3			
	Dispose of in compliance with all local and national regu	ulations.		

15.1. Waste treatment metrious			
	Dispose of in compliance with all local and national regulations.		
Disposal methods			
	Contact a licensed waste disposal company.		
Disposal of packaging			
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.		

SECTION 14: Transport information

Hazard pictograms

Revision 0 Revision date 2018-10-16

	Revision date 2016-10-1		
Hazard pictograms			
	6		
14.1. UN number	•		
	UN2588		
14.2. UN proper shipping name			
	PESTICIDE, SOLID, TOXIC, N.O.S. (Zinc phosphide)		
14.3. Transport hazard class(es)		
DOT	6.1		
Subsidiary risk] -		
IMDG	6.1		
Subsidiary risk	- -		
IATA	6.1		
Subsidiary risk	-		
14.4. Packing group	Γ		
Packing group			
14.5. Environmental hazards	Γ		
Environmental hazards	No		
Marine pollutant	No No		
14.6. Special precautions for use			
	No data available.		
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code		
	Not applicable.		
DOT			
Hazard ID	60		
Tunnel Category	(D/E)		
IMDG	T		
EmS Code	F-A S-A		
IATA			
Packing Instruction (Cargo)	676		
Maximum quantity	100 kg		
Packing Instruction (Passenger)	669		
Maximum quantity	25 kg		
SECTION 15: Regulatory inf	ormation		
	mental regulations/legislation specific for the substance or mixture		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational
	Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

Revision 0 Revision date 2018-10-16

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

15.2. Chemical safety assessment

No data available.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Propylene glycol (1,2-Propanediol)	Υ	Υ	N	N	N	N	N	N	N
Sucrose (.alphaD-Glucopyranoside, .betaD-fructofuranosyl)	Υ	N	N	N	N	N	N	N	N
Trizinc diphosphide (Zinc phosphide (Zn3P2))	Υ	N	N	N	N	N	Υ	Y 500	Y 100

Further information

FIFRA

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Signal Word FIFRA Warning

CAUTION.

Hazards to humans and domestic animals. Harmful if swallowed, or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with eyes, skin or clothing.

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Carc. 1A: H350 - May cause cancer.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

EUH029 - Contact with water liberates toxic gas.

EUH032 - Contact with acids liberates very toxic gas.

Water-react. 1: H260 - In contact with water releases flammable gases which may ignite spontaneously.

Acute Tox. 2: H300 - Fatal if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aguatic Chronic 1: H410 - Very toxic to aguatic life with long lasting effects.

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed

Revision 0 Revision date 2018-10-16

Further information	
	resulting from the use of this product.